

HPNS: Building Radiological Remediation Goals Discussion with HQ, 2/5/2021
Yolanda's internal notes and talking points

Agenda

- **Update from Region 9 on discussions with the Navy on the long-term protectiveness evaluation of the radiological remediation goals for current, onsite buildings**
 - In our January 15th meeting, I noted this discussion is rooted in the Navy's 2020 Five-Year Review of the HPNS. As part of the Navy's evaluation of the long-term protectiveness of remediation goals for the current, onsite buildings, the Navy is using RESRAD Build in lieu of the BPRG calculator.
 - In 2019, the Navy provided its draft evaluation using RESRAD Build, and we started a consultation process on the use of RESRAD Build with Mary (FFRRO) and Stuart (OSRTI), along with our colleagues at the US Army Corps of Engineers. At the end of the consultation, we concluded that we cannot support the Navy's use of RESRAD BUILD for a variety of reasons. In August 2020, we sent the Navy a letter to communicate that conclusion.

Ex. 5 Deliberative Process (DP)

Deliberative, Internal

Name	Attendance	Response
------	------------	----------

Region 9

Enrique Manzanilla		Accepted
Angeles Herrera		Accepted
John Chesnutt		Accepted
Wayne Praskins		None
Yolanda Sanchez		Organizer

HQ OSRTI

Dana Stalcup Tentative

Laurence Libelo (Stuart's supervisor) Accepted

Schatzi Fitz-James

Stuart Walker Accepted

HQ FFRRO

Gregory Gervais Accepted

Dianna Young Tentative

David Hockey Accepted

Benjamin Simes Accepted

Jonathan Tso None

Mary Cooke Tentative

HQ FEO

Sally Dalzell	Required Attendee	None
---------------	-------------------	------

Karen Leff	Required Attendee	None
------------	-------------------	------

Ava Azad	Required Attendee	Accepted
-----------------	--------------------------	-----------------

Marie Muller	Required Attendee	None
--------------	-------------------	------

Ex. 5 Deliberative Process (DP)